

Trace Element Analysis in CellXCell & Microhumate

Parameter		CellXCell (3.00%)	Microhumate (7.07%)	Unit
pH		5.90	5.30	n/a
Ag	Silver	<0.5	0.50	ppm
Al	Aluminum	0.01	0.07	%
As	Arsenic	<1.00	<1.00	ppm
Au	Gold	<1.00	<1.00	ppm
B	Boron	1.00	5.00	ppm
Ba	Barium	4.00	20.00	ppm
Bi	Bismuth	<1.00	<1.00	ppm
Ca	Calcium	0.02	0.07	%
Cd	Cadmium	<1.00	<1.00	ppm
Co	Cobalt	<1.00	<1.00	ppm
Cr	Chromium	<1.00	<1.00	ppm
Cu	Copper	5.00	93.00	ppm
Fe	Iron	<0.01	0.03	%
K	Potassium	0.25	0.20	%
La	Lanthanum	<1.00	<1.00	ppm
Mg	Magnesium	<0.01	0.01	%
Mn	Manganese	2.00	12.00	ppm
Mo	Molybdenum	<1.00	<1.00	ppm
Na	Sodium	0.05	0.04	%
Ni	Nickel	<1.00	5.00	ppm
P	Phosphorus	0.06	<0.01	%
Pb	Lead	<1.00	3.00	ppm
Sb	Antimony	<1.00	<1.00	ppm
S	Sulfur	0.03	0.02	%
Si	Silicon	0.01	0.03	ppm
Sr	Strontium	2.00	9.00	ppm
Th	Thorium	<1.00	<1.00	ppm
Ti	Titanium	<0.01	<0.01	%
U	Uranium	<1.00	<1.00	ppm
V	Vanadium	<1.00	<1.00	ppm
W	Tungston	<1.00	<1.00	ppm
Zn	Zinc	5.00	96.00	ppm
Note: < denotes less than detectable limits				